



Inspection Report

DAYNA BELL

Customer ID: **322965**

Certificate: **41-B-0265**

Site: 001

DAYNA BELL

BELL KENNELS
3066 310TH ST E

Type: ROUTINE INSPECTION

Date: May-30-2012

NORTHFIELD, MN 55057

3.11 (b) (2) REPEAT

CLEANING, SANITIZATION, HOUSEKEEPING, AND PEST CONTROL.

Used primary enclosures and food and water receptacles for dogs and cats must be sanitized at least once every 2 weeks using one of the methods prescribed in paragraph (b)(3) of this section, and more often if necessary to prevent an accumulation of dirt, debris, food waste, excreta, and other disease hazards.

In the main kennel area, 10 watering ports, which the animals drink out of, had an excessive accumulation of a orange and brown colored material built up right above the mouth piece.

Without proper sanitation of the water receptacles, animals can come into contact with waste material or contaminated water.

The inspection and exit interview were conducted with the owner by Animal Care Inspector Cox, and Supervisor Animal Care Specialist Hovancsak

Nothing Follows

Prepared By:

BRENTON COX, A C I

BRENTON COX, A C I

USDA, APHIS, Animal Care

Date:

Title:

ANIMAL CARE INSPECTOR

Inspector 6021

May-30-2012

Received By:

(b)(6), (b)(7)(c)

Date:

Title:

May-30-2012